

GLASSCRAFT® DOOR COMPANY

2002 Brittmoore Road
Houston, Texas 77043-2209

Premium Fiberglass Door Pre-hang Composite Unit Information

Effective January 2020

This guide includes the following information:

- *Pre-hang configurations for fiberglass doors*
- *Rough opening dimensions*
- *Assembled unit dimensions*
- *Impact configuration availability*
- *Pricing information*

Contact Us

1-800-766-2196 — National Toll-Free
1-713-690-8282 — Local

Sales 1-713-690-2919
Accounting 1-713-690-9994

E-mail:

sales: sales@glasscraft.com
customer service: orderentry@glasscraft.com
accounting: accounting@glasscraft.com
marketing: marketing@glasscraft.com

Fax: 713-690-2919

Web site: www.glasscraft.com

Hours of Operation

Monday through Friday
Eastern 9:00 AM–6:00 PM
Central 8:00 AM–5:00 PM
Mountain 7:00 AM–4:00 PM
Pacific 6:00 AM–3:00 PM

You are welcome to visit and tour our 210,000 square foot glass and door facility. Please call first, prior to your visit. Weekday hours are listed above. Should you wish to pick up your order, please call to confirm that the order is available for loading prior to your arrival.

Order Forms and Quotation Forms are on-line at www.glasscraft.com under the "CUSTOMER SERVICE" window... then in the "SERVICE CENTER" area.



WORLD
MILLWORK
ALLIANCE




Premium Fiberglass Door Pre-hang Kits 6'8" Single Door Configurations

Pre-hanging: We can pre-hang all 20 of the following entry configurations using our 2'8", 3'0" or 3'6" wide and 6'8" or 8'0" tall doors, sidelites, and transoms. Pre-hung units include jamb legs, header, sill, and weatherstripping, plus 3 hinges on 6'8" doors and 4 hinges on 8'0" doors, plus mull posts, T-astragal, and flush bolts where applicable. Standard pre-hang includes use of composite jamb, frame, and sash components. (Please refer to the Wood & Composite Component Product Guide for more specific information on the Composite Material used for these products). Pre-hung units may be ordered unfinished or prefinished to match your door. Please note that, for non-impact entryways with sidelites, we use fat boy mull posts between the door and sidelites instead of double jamb legs whenever possible. This allows for the use of a continuous sill below. All impact approved entryways with sidelights use a boxed-frame construction instead of mull posts.

Impact Approved Pre-hung Fiberglass Door Units: These units have been tested and approved for use in specific wind-storm areas that may require impact certification. In addition to the above, these units include 3-point door hardware. Not all door profiles may be used in these Impact Approved units. See Fiberglass door catalog for detailed availability.

Pricing: Pre-hang unit pricing is listed on pages 6-7; refer to the Entry Configuration style listed.




6'8" Single Door Entry

Single 6'8" Door Entry Configuration A

Pre-hung Unit: Single 32" or 36" X 6'8" Door. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Single 32", or 36" X 6'8" Door Pre-hung Unit (non-impact)	PHCOM100 684	PHCOM100 686
Single 32", or 36" X 6'8" Door Pre-hung Unit (impact approved)	PHCOM100 684IM	PHCOM100 686IM

For rough opening information please see pages 8-9




6'8" Single Door Entry with 1 Sidelite

Single 6'8" Door/One Sidelite Entry Configuration B

Pre-hung Unit: Single 32" or 36" wide 6'8" Door with 12" or 14" wide sidelite. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 6'8" Door & One 12" or 14" Sidelite Pre-hung Unit (non-impact)	CSLCOM120 684	CSLCOM120 686
32" or 36" X 6'8" Door & One 12" or 14" Sidelite Pre-hung Unit (impact approved)	CSLCOM120 684IM	CSLCOM120 686IM

For rough opening information please see pages 8-9




6'8" Single Door Entry with 2 Sidelites

Single 6'8" Door/Two Sidelites Entry Configuration C

Pre-hung Unit: Single 32" or 36" wide 6'8" Door with 12" or 14" wide sidelites. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 6'8" Door & Two 12" or 14" Sidelites Pre-hung Unit (non-impact)	CSLCOM120 684	CSLCOM120 686
32" or 36" X 6'8" Door & Two 12" or 14" Sidelites Pre-hung Unit (impact approved)	CSLCOM120 684IM	CSLCOM120 686IM

For rough opening information please see pages 8-9



6'8" Single Door Entry with 2 Sidelites and Rectangular Transom

Single 6'8" Door/Two Sidelites and Rectangular Transom Entry Configuration D


Pre-hung Unit: Single 32" or 36" X 6'8" door and 2 sidelites (14" for 32" door, either 12" or 14" for 36" door), plus a matching Rectangular transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 6'8" Door/2 12" or 14" Sidelites/12" or 14" Transom Pre-hung Unit (non-impact)	CSLCOM121 684RT	CSLCOM121 686RT

For rough opening information please see pages 8-9

Premium Fiberglass Door Pre-hang Kits 6'8" Single & Double Door Configurations

Continued from previous page




6'8" Single Door Entry with 2 Sidelites and Elliptical Transom

6'8" Door/Two Sidelites and Elliptical Transom Entry Configuration E

Pre-hung Unit: Single 32" or 36" X 6'8" door and 2 sidelites (14" for 32" door, either 12" or 14" for 36" door), plus a matching Elliptical transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" X 6'8" Door/Two 14" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 644ET	CSLCOM121 646ET
36" X 6'8" Door/Two 12" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 644ET	CSLCOM121 646ET
36" X 6'8" Door/Two 14" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 684ET	CSLCOM121 686ET

For rough opening information please see pages 8-9




6'8" Single Door Entry with 2 Sidelites and Half Round Transom

6'8" Door/Two Sidelites and Half Round Transom Entry Configuration F

Pre-hung Unit: Single 32" or 36" X 6'8" door and 2 sidelites (14" for 32" door, either 12" or 14" for 36" door), plus a matching Half Round transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" X 6'8" Door/Two 14" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 644HT	CSLCOM121 646HT
36" X 6'8" Door/Two 12" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 644HT	CSLCOM121 646HT
36" X 6'8" Door/Two 14" Sidelites/Transom Pre-hung Unit (non-impact)	CSLCOM121 684HT	CSLCOM121 686HT

For rough opening information please see pages 8-9




6'8" Double Door Entry

Double 6'8" Doors Entry Configuration G

Pre-hung Unit: Double 6'8" tall doors X 32" or 36" wide. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Two 32" or 36" X 6'8" Doors Pre-hung Unit (non impact)	PHCOM200 684	PHCOM200 686
Two 32" or 36" X 6'8" Doors Pre-hung Unit (impact approved)	PHCOM200 684IM	PHCOM200 686IM

For rough opening information please see pages 8-9




6'8" Double Door Entry with Elliptical Transom

Double 6'8" Doors and Elliptical Transom Entry Configuration J

Pre-hung Unit: Double 6'8" tall doors X 36" wide with Elliptical transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Two 36" X 6'8" Doors & Elliptical Transom Pre-hung Unit (non impact)	PHCOM201 684ET	PHCOM201 686ET

For rough opening information please see pages 8-9



6'8" Double Door Entry with Half Round Transom


Double 6'8" Doors with Half Round Transom Entry Configuration K

Pre-hung Unit: Double 6'8" tall doors X 36" wide with Half Round transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Two 36" X 6'8" Doors & Half Round Transom Pre-hung Unit (non-impact)	PHCOM201 684HT	PHCOM201 686HT

For rough opening information please see pages 8-9

Premium Fiberglass Door Pre-hang Kits 8'0" Single Door Configurations




8'0" Single Door Entry

Single 8'0" Door Entry Configuration L

Pre-hung Unit: Single door 8'0" X 32" or 36" wide. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Single 32" or 36" X 8'0" Door Pre-hung Unit (non-impact)	PHCOM100 804	PHCOM100 806
Single 32" or 36" X 8'0" Door Pre-hung Unit (Impact Approved)	PHCOM100 804IM	PHCOM100 806IM
Single 42" X 8'0" Door Pre-hung Unit (non-impact)	PHCOM100 804-42	PHCOM100 806-42

For rough opening information please see pages 8-9




8'0" Single Arch Top Door Entry

8'0" Single Arch Top Door Entry Configuration M

Pre-hung Unit: Single 8'0" Door X 36" or 42" wide, arch top door. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Single 36" X 8'0" Arch Top Door Pre-hung Unit (non-impact)	PHCOM100 804A	PHCOM100 806A
Single 42" X 8'0" Arch Top Door Pre-hung Unit (non-impact)	PHCOM100 804A-42	PHCOM100 806A-42

For rough opening information please see pages 8-9




8'0" Single Door Entry with 1 Sidelite

8'0" Door/One 12" or 14" Sidelite Entry Configuration N

Pre-hung Unit: Single door 8'0" X 32" or 36" wide with 1 sidelite. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 8'0" Door & One 12" or 14" Sidelite Pre-hung Unit (non-impact)	CSLCOM120 804	CSLCOM120 806
32" or 36" X 8'0" Door & One 12" or 14" Sidelite Pre-hung Unit (impact approved)	CSLCOM120 804IM	CSLCOM120 806IM

For rough opening information please see pages 8-9




8'0" Single Door Entry with 2 Sidelites

8'0" Door/Two 12" or 14" Sidelites Entry Configuration S

Pre-hung Unit: Single door 8'0" X 32" or 36" wide with 2 sidelites. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 8'0" Door & Two 12" or 14" Sidelites Pre-hung Unit	CSLCOM120 804	CSLCOM120 806
32" or 36" X 8'0" Door & Two 12" or 14" Sidelites Pre-hung Unit (impact approved)	CSLCOM120 804IM	CSLCOM120 806IM

For rough opening information please see pages 8-9



8'0" Single Door Entry with 2 Sidelites & Rectangular Transom


8'0" Door/Two Sidelites and Rectangular Transom Entry Configuration O

Pre-hung Unit: Single 8'0" Door X 32" or 36" wide, and 2 sidelites (14" for 32" door, either 12" or 14" for 36" door), with Rectangular transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" or 36" X 8'0" Door & Two 12" or 14" Sidelites w/12" or 14" Transom Pre-hung (non impact)	CSLCOM121 804RT	CSLCOM121 806RT

For rough opening information please see pages 8-9

Premium Fiberglass Door Pre-hang Kits 8'0" Single & Double Door Configurations




8'0" Single Door Entry with 2 Sidelites & Elliptical Transom

8'0" Door/Two Sidelites and Elliptical Transom *Entry Configuration P*

Pre-hung Unit: Single 8'0" Door X 32" or 36" wide, and two sidelites (14" for 32" door, either 12" or 14" for 36" door), with Elliptical transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls. Impact Approved units are not available in this configuration. Glass is direct-set into transom frame.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" X 8'0" Door & Two 12" Sidelites w/Transom Pre-hung (non-impact)	CSLCOM121 844ET	CSLCOM121 846ET
36" X 8'0" Door & Two 14" Sidelites w/Transom Pre-hung (non-impact)	CSLCOM121 884ET	CSLCOM121 886ET
36" X 8'0" Door & Two 12" Sidelites w/Transom Pre-hung (non-impact)	CSLCOM121 844ET	CSLCOM121 846ET

For rough opening information please see pages 8-9




8'0" Single Door Entry with 2 Sidelites & Half Round Transom

8'0" Door/Two Sidelites & Half Round Transom *Entry Configuration Q*

Pre-hung Unit: Single 8'0" Door X 32 or 36 wide, two sidelites (14" for 32" door, either 12" or 14" for 36" door), with Half Round transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
32" X 8'0" Door/Two 14" Sidelites w/Transom Pre-hung (non impact)	CSLCOM121 844HT	CSLCOM121 846HT
36" X 8'0" Door/Two 12" Sidelites w/Transom Pre-hung (non impact)	CSLCOM121 844HT	CSLCOM121 846HT
36" X 8'0" Door/Two 14" Sidelites w/Transom Pre-hung (non impact)	CSLCOM121 884HT	CSLCOM121 886HT

For rough opening information please see pages 8-9




8'0" Double Door Entry

Two 8'0" Doors *Entry Configuration R*

Pre-hung Unit: Double 8'0" Doors X 32", 36" or 42" wide. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Double 32" or 36" X 8'0" Doors Entry Pre-hung (non impact)	PHCOM200 804	PHCOM200 806
Double 32" or 36" X 8'0" Doors Entry Pre-hung (impact approved)	PHCOM200 804IM	PHCOM200 806IM
Double 42" X 8'0" Doors Entry Pre-hung (non impact)	PHCOM200 804-42	PHCOM200 806-42

For rough opening information please see pages 8-9




8'0" Double Door Entry with Elliptical Transom

Two 8'0" Doors & Elliptical Transom *Entry Configuration U*

Pre-hung Unit: Double 8'0" X 36" wide Doors with Elliptical Transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Double 36" X 8'0" Doors & Elliptical Transom (non impact)	PHCOM201 804ET	PHCOM201 806ET

For rough opening information please see pages 8-9



8'0" Double Door Entry with Half Round Transom


Two 8'0" Doors with Half Round Transom *Entry Configuration V*

Pre-hung Unit: Double 8'0" X 36" wide Doors with Half Round Transom. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Double 36" X 8'0" Doors & Half Round Transom (non impact)	PHCOM201 804HT	PHCOM201 806HT

For rough opening information please see pages 8-9

Premium Fiberglass Door Pre-hang Kits 8'0" Double Configurations



8'0" Double Arch Top

8'0" Double Arch Top Doors *Entry Configuration S*

Pre-hung Unit: Double 5'4" X 8'0" or 6'0" X 8'0 wide Arch Top Doors. Unit is for 4⁹/₁₆" or 6⁹/₁₆" walls.

	4 ⁹ / ₁₆ " Width	6 ⁹ / ₁₆ " Width
Double 5'4" X 8'0" Arch Top Doors Entry Pre-hung (non impact)	PHCOME80M4	PHCOME80M6
Double 6'0" X 8'0" Arch Top Doors Entry Pre-hung (non impact)	PHCOME86M4	PHCOME86M6

For rough opening information please see pages 8-9

Premium Fiberglass Pre-hang Kits 6'8" Pricing Information

Listed below is our suggested retail pricing for pre-hanging and prefinishing for standard entryway configurations shown on pages 2-6. Discounts may apply to all retail prices listed. Prefinish charge includes finishing of entire unit, including door or doors, sidelites, transom frame and sash, jamb legs, etc. Finish charge only applies when ordered with Pre-hung Unit, and is additional to the pre-hang cost listed.

6'8" Height — 4⁹/₁₆" Jamb Width Single & Double Door Entryway Configurations

Pre-hang Unit Number	Entryway Description	Entryway Configuration	Estate Pre-hang (no finish)
PHCOM100 684	4 ⁹ / ₁₆ " Entry, Single 32" or 36" X 6'8" Door	A	\$660
PHCOM100 684IM	4 ⁹ / ₁₆ " Entry, Single 32" or 36" X 6'8" Door (impact rated)	A	\$2,195
CSLCOM120 684	4 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & One 12" or 14" Sidelite	B	\$1,290
CSLCOM120 684IM	4 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & One 12" or 14" Sidelite (impact rated)	B	\$2,925
CSLCOM120 684	4 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites	C	\$1,290
CSLCOM120 684IM	4 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites (impact rated)	C	\$2,925
CSLCOM121 684RT	4 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites & Rectangular Transom	D	\$1,615
CSLCOM121 644ET	4 ⁹ / ₁₆ " Entry, 32" X 6'8" Door & Two 14" Sidelites & Elliptical Transom (or 36" Door w/12" Sidelites)	E	\$1,830
CSLCOM121 684ET	4 ⁹ / ₁₆ " Entry, 36" X 6'8" Door & Two 14" Sidelites & Elliptical Transom	E	\$1,830
CSLCOM121 644HT	4 ⁹ / ₁₆ " Entry, 32" X 6'8" Door & Two 14" Sidelites & Half Round Transom (or 36" Door w/12" Sidelites)	F	\$1,990
CSLCOM121 684HT	4 ⁹ / ₁₆ " Entry, 36" X 6'8" Door & Two 14" Sidelites & Half Round Transom	F	\$1,990
PHCOM200 684	4 ⁹ / ₁₆ " Entry, Two 32" or 36" X 6'8" Doors	G	\$1,070
PHCOM200 684IM	4 ⁹ / ₁₆ " Entry, Two 32" or 36" X 6'8" Doors (impact rated)	G	\$2,995
PHCOM201 684ET	4 ⁹ / ₁₆ " Entry, Two 36" X 6'8" Doors & EJ7420 Elliptical Transom	J	\$1,680
PHCOM201 684HT	4 ⁹ / ₁₆ " Entry, Two 36" X 6'8" Doors & HJ7437 Half Round Transom	K	\$1,765

6'8" Height — 6⁹/₁₆" Jamb Width Single & Double Door Entryway Configurations

Pre-hang Unit Number	Entryway Description	Entryway Configuration	Estate Pre-hang (no finish)
PHCOM100 686	6 ⁹ / ₁₆ " Entry, Single 32" or 36" X 6'8" Door	A	\$825
PHCOM100 686IM	6 ⁹ / ₁₆ " Entry, Single 32" or 36" X 6'8" Door (impact rated)	A	\$2,465
CSLCOM120 686	6 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & One 12" or 14" Sidelite	B	\$1,470
CSLCOM120 686IM	6 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & One 12" or 14" Sidelite (impact rated)	B	\$3,140
CSLCOM120 686	6 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites	C	\$1,470
CSLCOM120 686IM	6 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites (impact rated)	C	\$3,140
CSLCOM121 686RT	6 ⁹ / ₁₆ " Entry, 32" or 36" X 6'8" Door & Two 12" or 14" Sidelites & Rectangular Transom	D	\$1,880
CSLCOM121 646ET	6 ⁹ / ₁₆ " Entry, 32" X 6'8" Door & Two 14" Sidelites & Elliptical Transom (or 36" Door w/12" Sidelites)	E	\$2,200
CSLCOM121 686ET	6 ⁹ / ₁₆ " Entry, 36" X 6'8" Door & Two 14" Sidelites & Elliptical Transom	E	\$2,200
CSLCOM121 646HT	6 ⁹ / ₁₆ " Entry, 32" X 6'8" Door & Two 14" Sidelites & Half Round Transom (or 36" Door w/12" Sidelites)	F	\$2,360
CSLCOM121 686HT	6 ⁹ / ₁₆ " Entry, 36" X 6'8" Door & Two 14" Sidelites & Half Round Transom	F	\$2,360
PHCOM200 686	6 ⁹ / ₁₆ " Entry, Two 32" or 36" X 6'8" Doors	G	\$1,255
PHCOM200 686IM	6 ⁹ / ₁₆ " Entry, Two 32" or 36" X 6'8" Doors (impact rated)	G	\$3,235
PHCOM201 686ET	6 ⁹ / ₁₆ " Entry, Two 36" X 6'8" Doors & EJ7420 Elliptical Transom	J	\$1,990
PHCOM201 686HT	6 ⁹ / ₁₆ " Entry, Two 36" X 6'8" Doors & HJ7437 Half Round Transom	K	\$2,125

Premium Fiberglass Pre-hang Kits 8'0" Pricing Information

8'0" Height – 4⁹/₁₆" Jamb Width Single & Double Door Entryway Configurations

Pre-hang Unit Number	Entryway Description	Entryway Configuration	Estate Pre-hang (no finish)
PHCOM100 804	4 ⁹ / ₁₆ " Entry, Single 32" or 36" X 8' 0" Door	L	\$725
PHCOM100 804IM	4 ⁹ / ₁₆ " Entry, Single 32" or 36" X 8' 0" Door (impact rated)	L	\$2,350
PHCOM100 804-42	4 ⁹ / ₁₆ " Entry, Single 42" X 8' 0" Door	L	\$985
PHCOM100 804A	4 ⁹ / ₁₆ " Entry, Single 36" X 8' 0" Arch Top Door	M	\$980
PHCOM100 804A-42	4 ⁹ / ₁₆ " Entry, Single 42" X 8' 0" Arch Top Door	M	\$1,260
CSLCOM120 804	4 ⁹ / ₁₆ " Entry, 32" or 36" X 8' 0" Door & One or Two 12" or 14" Sidelites	N	\$1,460
CSLCOM120 804IM	4 ⁹ / ₁₆ " Entry, 32" or 36" X 8' 0" Door & One or Two 12" or 14" Sidelites (impact rated)	N	\$3,130
CSLCOM121 804RT	4 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 12" or 14" Sidelites & Rectangular Transom	O	\$1,785
CSLCOM121 844ET	4 ⁹ / ₁₆ " Entry, 32" X 8' 0" Door & Two 12" Sidelites & Elliptical Transom	P	\$1,985
CSLCOM121 884ET	4 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 14" Sidelites & Elliptical Transom	P	\$1,985
CSLCOM121 844HT	4 ⁹ / ₁₆ " Entry, 32" X 8' 0" Door & Two 12" Sidelites & Half Round Transom	Q	\$2,150
CSLCOM121 884HT	4 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 14" Sidelites & Half Round Transom	Q	\$2,150
PHCOMCOM200 804	4 ⁹ / ₁₆ " Entry, Two 30", 32" or 36" X 8' 0" Doors	R	\$1,315
PHCOMCOM200 804IM	4 ⁹ / ₁₆ " Entry, Two 30", 32" or 36" X 8' 0" Doors (impact rated)	R	\$3,620
PHCOM200 804-42	4 ⁹ / ₁₆ " Entry, Two 42" X 8' 0" Doors	R	\$1,380
PHCOM201 804ET	4 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Doors & EJ7420 Elliptical Transom	U	\$1,705
PHCOM201 804HT	4 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Doors & HJ7437 Half Round Transom	V	\$1,895
PHCOME80M4	4 ⁹ / ₁₆ " Entry, Two 30" X 8' 0" Arch Top Doors	S	\$1,640
PHCOME86M4	4 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Arch Top Doors	S	\$1,640










8'0" Height – 6⁹/₁₆" Jamb Width Single & Double Door Entryway Configurations

Pre-hang Unit Number	Entryway Description	Entryway Configuration	Estate Pre-hang (no finish)
PHCOM100 806	6 ⁹ / ₁₆ " Entry, Single 32" or 36" X 8' 0" Door	L	\$890
PHCOM100 806IM	6 ⁹ / ₁₆ " Entry, Single 32" or 36" X 8' 0" Door (impact rated)	L	\$2,750
PHCOM100 806-42	6 ⁹ / ₁₆ " Entry, Single 42" X 8' 0" Door	L	\$1,150
PHCOM100 806A	6 ⁹ / ₁₆ " Entry, Single 36" X 8' 0" Arch Top Door	M	\$1,050
PHCOM100 806A-42	6 ⁹ / ₁₆ " Entry, Single 42" X 8' 0" Arch Top Door	M	\$1,380
CSLCOM120 806	6 ⁹ / ₁₆ " Entry, 32" or 36" X 8' 0" Door & One or Two 12" or 14" Sidelites	N	\$1,645
CSLCOM120 806IM	6 ⁹ / ₁₆ " Entry, 32" or 36" X 8' 0" Door & One or Two 12" or 14" Sidelites (impact rated)	N	\$3,600
CSLCOM121 806RT	6 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 12" or 14" Sidelites & Rectangular Transom	O	\$2,100
CSLCOM121 846ET	6 ⁹ / ₁₆ " Entry, 32" X 8' 0" Door & Two 12" Sidelites & Elliptical Transom	P	\$2,365
CSLCOM121 886ET	6 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 14" Sidelites & Elliptical Transom	P	\$2,365
CSLCOM121 846HT	6 ⁹ / ₁₆ " Entry, 32" X 8' 0" Door & Two 12" Sidelites & Half Round Transom	Q	\$2,525
CSLCOM121 886HT	6 ⁹ / ₁₆ " Entry, 36" X 8' 0" Door & Two 14" Sidelites & Half Round Transom	Q	\$2,525
PHCOMCOM200 806	6 ⁹ / ₁₆ " Entry, Two 30", 32" or 36" X 8' 0" Doors	R	\$1,500
PHCOMCOM200 806IM	6 ⁹ / ₁₆ " Entry, Two 30", 32" or 36" X 8' 0" Doors (impact rated)	R	\$3,880
PHCOM200 806-42	6 ⁹ / ₁₆ " Entry, Two 42" X 8' 0" Doors	R	\$1,550
PHCOM201 806ET	6 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Doors & EJ7420 Elliptical Transom	U	\$2,110
PHCOM201 806HT	6 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Doors & HJ7437 Half Round Transom	V	\$2,385
PHCOME80M4	6 ⁹ / ₁₆ " Entry, Two 30" X 8' 0" Arch Top Doors	S	\$1,995
PHCOME86M4	6 ⁹ / ₁₆ " Entry, Two 36" X 8' 0" Arch Top Doors	S	\$1,995

Fiberglass Door Pre-hung Rough Openings & Design Pressure Unit Information

The chart below lists rough opening dimensions, unit sizes, and “DP” Design Pressure ratings and Impact Approvals for all of our standard “inswing” entryway configurations for our Premium Fiberglass Doors. Most of these entryway configurations have been approved by state regulatory entities for use in windstorm areas. Note that the “rough opening size” listed below is a “tight” size, and is for reference only. Your installer may wish to add to these rough opening sizes. It is important to measure your pre-hung entryway unit upon arrival at the job site, and to construct the opening to fit the individual entryway unit. “Inswing” and “outswing” units are 7/8" undersized.












In the chart below, “N/A” means that the product is not available OR the product configuration has not been tested for a DP Rating. For the most up-to-date information and test results for “outswing” entryways, please check your state regulatory website and/or our GlassCraft company website at www.glasscraft.com.

<i>Inswing Entry Units with 6'8" Tall Doors</i>							
		<i>32" x 6-8 door</i>			<i>36" x 6-8 door</i>		
		DP Rating	Rough Opening Size	Unit size*	DP Rating	Rough Opening Size	Unit Size*
	single door	+50/-50	34-1/4 x 82-1/2	33-1/2 x 82	+50/-50	38-1/4 x 82-1/2	37-1/2 x 82
	door and 12" sidelite	+50/-50	47-3/4 x 82-1/2	47 x 82	+50/-50	51-3/4 x 82-1/2	51 x 82
	door and 14" sidelite		49-3/4 x 82-1/2	49 x 82		53-3/4 x 82-1/2	53 x 82
	door and 2-12" sidelites	+50/-50	61-1/4 x 82-1/2	60-1/2 x 82	+50/-50	65-1/4 x 82-1/2	64-1/2 x 82
	door and 2-14" sidelites		65-1/4 x 82-1/2	64-1/2 x 82		69-1/4 x 82-1/2	68-1/2 x 82
	door, 2-12" sidelites, rectangular transom	N/A	N/A		N/A	65-1/4 x 96	64-1/2 x 95-1/2
	door, 2-14" sidelites, rectangular transom		65-1/4 x 98	64-1/2 x 97-1/2		69-1/4 x 98	68-1/2 x 97-1/2
	door, 2-12" sidelites, elliptical transom	N/A	N/A		N/A	65-1/4 x 103-3/8	64-1/2 x 102-7/8
	door, 2-14" sidelites, elliptical transom		65-1/4 x 103-3/8	64-1/2 x 102-7/8		69-1/4 x 104-1/2	68-1/2 x 104
	door, 2-12" sidelites, half round transom	N/A	N/A		N/A	65-1/4 x 115-1/2	64-1/2 x 115
	door, 2-14" sidelites, half round transom		65-1/4 x 115-1/2	64-1/2 x 115		69-1/4 x 117-1/2	68-1/2 x 117
	double door	+50/-50	66-3/4 x 82-1/2	66 x 82	+50/-50	74-3/4 x 82-1/2	74 x 82
	double door, elliptical transom	N/A			N/A	74-3/4 x 103-1/4	74 x 102-3/4
	double door, half round transom	N/A			N/A	74-3/4 x 120-1/4	74 x 119-3/4

IMPORTANT NOTE: FiberCraft outswing units are 7/8" undersized.

Fiberglass Door Pre-hung Rough Openings & Design Pressure Unit Information

Continued from previous page

Inswing Entry Units with 8'0" Tall Doors										
		32" x 8-0 door			36" x 8-0 door			42" x 8-0 door		
		DP Rating	Rough Opening Size	Unit size*	DP Rating	Rough Opening Size	Unit size*	DP Rating	Rough Opening Size	Unit size*
	single door	+50/-50	34-1/4 x 98-1/2	33-1/2 x 98	+50/-50	38-1/4 x 98-1/2	37-1/2 x 98	N/A	44-1/4 x 98-1/2	43-1/2 x 98
	single arch top door		34-1/4 x 98-1/2	33-1/2 x 98		38-1/4 x 98-1/2	37-1/2 x 98	N/A	44-1/4 x 98-1/2	43-1/2 x 98
	door and 12" sidelite	+50/-50	47-3/4 x 98-1/2	47 x 98	+50/-50	51-3/4 x 98-1/2	51 x 98	N/A	57-3/4 x 98-1/2	57 x 98
	door and 14" sidelite		49-3/4 x 98-1/2	49 x 98		53-3/4 x 98-1/2	53 x 98	N/A	59-3/4 x 98-1/2	59 x 98
	door and 2-12" sidelites	+50/-50	61-1/4 x 98-1/2	60-1/2 x 98	+50/-50	65-1/4 x 98-1/2	64-1/2 x 98	N/A	71-1/4 x 98-1/2	70-1/2 x 98
	door and 2-14" sidelites		65-1/4 x 98-1/2	64-1/2 x 98		69-1/4 x 98-1/2	68-1/2 x 98	N/A	75-1/4 x 98-1/2	74-1/2 x 98
	door, 2-12" sidelites, rectangular transom	N/A	N/A		N/A	65-1/4 x 112	64-1/2 x 111-1/2	N/A		
	door, 2-14" sidelites, rectangular transom		65-1/4 x 114	64-1/2 x 113-1/2		69-1/4 x 114	68-1/2 x 113-1/2			
	door, 2-12" sidelites, elliptical transom	N/A	N/A		N/A	65-1/4 x 119-3/8	64-1/2 x 118-7/8	N/A		
	door, 2-14" sidelites, elliptical transom		65-1/4 x 119-3/8	64-1/2 x 118-7/8		69-1/4 x 120-1/2	68-1/2 x 120			
	door, 2-12" sidelites, half round transom	N/A	N/A		N/A	65-1/4 x 131-1/2	64-1/2 x 131	N/A		
	door, 2-14" sidelites, half round transom		65-1/4 x 131-1/2	64-1/2 x 131		69-1/4 x 133-1/2	68-1/2 x 133			
	double door	+50/-50	66-3/4 x 98-1/2	66 x 98	+50/-50	74-3/4 x 98-1/2	74 x 98	N/A	86-3/4 x 98-1/2	86 x 98
	double arch top door		66-3/4 x 98-1/2	66 x 98		74-3/4 x 98-1/2	74 x 98	N/A		
	double door, elliptical transom		N/A		N/A	74-3/4 x 119-1/4	74 x 118-3/4	N/A		
	double door, half round transom		N/A		N/A	74-3/4 x 136-1/4	74 x 135-3/4	N/A		

IMPORTANT NOTE: FiberCraft outswing units are 7/8" undersized.